





125 MIL Catalog 2020

Marking the future with you



Free training

Product training is available free of charge for all OPTAMARK® end users.

No Pre-heating required

OPTAMARK® does not require the pavement to be preheated to a specific temperature prior to application. With no specific road or air temperature requirements, the pavement marking season can be extended.

Interconnected

Material can be interconnected at factory.

Special request?


OPTAMARK® is available in a wide range of sizes and colors. Call **770-847-9410** for pricing and information on items not listed.


www.geveko-markings.us sales@geveko-markings.us

OPTATRAC® engineered to optimize traction and retroreflectivity

Lines	Description	Item Number	Size (W x L)	Linear Feet per Pack	Square Feet per Pack
		9100102	4" x 3'	90 LF	30 SF
		9100101	5" x 3'	60 LF	25 SF
		9100076	6" x 3'	60 LF	30 SF
_	Militaritis	9100084	8" x 3'	45 LF	30 SF
-	White Lines	9100035	12" x 3'	30 LF	30 SF
_		9100321	16" x 3'	30 LF	40 SF
_		9100260	18" x 3'	30 LF	45 SF
		9100034	24" x 3'	15 LF	30 SF
		9100250	4" x 3'	90 LF	30 SF
		9100099	6" x 3'	60 LF	30 SF
	Yellow Lines	9100322	8" x 3'	45 LF	30 SF
		9100324	12" x 3'	30 LF	30 SF
		9100188	24" x 3'	15 LF	30 SF

Arrows	Description		Item Number	Size (L x W)	Qty per Pack
Figure 1	Straight Arrow Standard (CALTRANS I)		9100100	9'10" x 3'3"	2
Figure 2	Straight Arrow Elongated		9100107	12' x 1'8"	2
Figure 3	Straight Arrow (CALTRANS I)	Straight Arrow (CALTRANS I)		18' x 3'6"	2
Figure 4	Straight Arrow Elongated (CALTRANS I)		9100329	24' x 3'6"	1
	Turn Arrow Standard	Left	9100096	8'2" x 6'3"	2
Figure 5	(CALTRANS IV)	Right	9100036	8'2" x 6'3"	2
Figure 6		Left	9100094	12' x 3'	2
rigule o Turri Arrow Elongateu	Turn Arrow Elongated	Right	9100095	12' x 3'	2
Figure 7	Combi Left/Right Arrow		9100825	8' x 10'	1





Arrows	Description		Item Number	Size (L x W)	Qty per Pack
	Combi Arrow Standard	Left	9100106	13'1" x 7'4"	1
Figure 8	(CALTRANS VII)	Right	9100105	13'1" x 7'4"	1
Figure 9	Combi Left/Straight/Right Arrow		9100112	13'2" x 11'6"	1
	Combi Arrow Standard Elongated	Left	9100108	20' x 3'7"	1
Figure 10		Right	9100109	20' x 3'7"	1
Figure 11	U-Turn Arrow - Left	Left	9100110	10'4" x 7'9"	1
Figure 12	Exit Ramp (Wrong Way) Arrow		9100111	24'	2
Figure 12	Lane Reduction Arrow (CALTRANS)	Left	9100350	17'6" x 5'6"	1
Figure 13		Right	9100349	17'6" x 5'6"	1
Figure 14	Roundabout Fish-Hook Arrow		9100351	20' x 8'7"	1



Figure 8 Figure 9 Figure 10 Figure 11 Figure 12 Figure 13 Figure 14

Legends	Description	ltem Number	Letter Height	Qty per Pack
R	R (FHWA)	9100123	6'6"	2
PED	PED (FHWA)	9100148	8'	1
MPH	MPH (FHWA)	9100333	8'	1
BUS	BUS (FHWA)	9100093	8'	1
STOP	STOP (FHWA)	9100431	8'	1
LANE	LANE (FHWA)	9100118	8'	1

Legends	Description	Item Number	Letter Height	Qty per Pack
KEEP	KEEP (FHWA)	9100119	8'	1
EXIT	EXIT (FHWA)	9100330	8'	1
LEFT	LEFT (FHWA)	9100331	8'	1
SLOW	SLOW (FHWA)	9100124	8'	1
ONLY	ONLY (FHWA)	9100092	8'	1
BUMP	BUMP (FHWA)	9100362	8'	1
XING	XING (FHWA)	9100124	8'	1
WEST	WEST (FHWA)	9100336	8'	1
EAST	EAST (FHWA)	9100388	8'	1
SOUTH	SOUTH (FHWA)	9100335	8'	1
NORTH	NORTH (FHWA)	9100387	8'	1
CLEAR	CLEAR (FHWA)	9100120	8'	1
RIGHT	RIGHT (FHWA)	9100332	8'	1
MERGE	MERGE (FHWA)	9100146	8'	1
YIELD	YIELD (FHWA)	9100337	8'	1
AHEAD	AHEAD (FHWA)	9100121	8'	1
SIGNAL	SIGNAL (FHWA)	9100122	8'	1
0011001		9100115	8'	1
20400F	SCHOOL (FHWA)	9100116	10'	1
RXR	Railroad RXR (FHWA)	9100085	20' x 8'	1
X RR	Railroad RXR - Narrow (FHWA)	9100125	20' x 6'6"	1
	HOV Designated Lane Symbol	9100114	13' x 3'3"	5

Letters and numbers	Description	Item Number	Height	Qty per Pack
ABC 123			6"	1
	Individual Letter or Number (Series B)		12"	1
	Unique item number for		24"	1
	Individual Letter or Number FHWA	each design	4'	1
			8'	1
			10'	1

Yield Markings	Description	Item Number	Size (L x W)	Qty per Pack
		9100126	12" x 18"	25
	Yield Line (Shark's Teeth) FHWA	9100127	16" x 24"	10
		9100128	24" x 36"	10
abla	Viold Aboad Triangle EHIWA	9100129	6' x 13'	1
	Yield Ahead Triangle FHWA	9100130	6' x 20'	1
\wedge	Speed Hump Marking FHWA	9100131	6' x 6'	2



Handicap Markings 90 MIL	Description	Color	Item Number	Size	Qty per Pack
	Handicap Symbol FHWA	White	9100017	28"	5
L	Handicap Symbol FHWA	White	9100602	36"	5
	Handicap Symbol White	White	9100038	39"	5
L	Handicap Symbol FHWA	Blue	9100018	28"	5
	Handicap Kit FHWA	White/ blue	9100019	40" x 40"	2
E E	Handicap Kit (CALTRANS)	White/ blue	9100020	45" x 45"	2
	Handicap Kit	White/ blue	9100021	48" x 48"	2
L	Handicap Kit, White Border FHWA	White/ blue	9100137	40" x 40"	2
	Handicap Kit, WhiteBorder (CALTRANS)	White/ blue	9100672	36" x 36"	1





Interstate/US Shields	Description	Color	Item Number	Size (W x L)	Qty per Pack
	Interstate Shield	Red/White/ Blue		4' x 10'	1
05	Interstate Shield FHWA	Red/White/		6' x 15'	1
00	interstate Silletu Filiwa	Blue	Unique item number for each design	8' x 20'	1
	Interstate Shield	Red/White/ Blue		8' x 36'	1
66		Plack/Mhita		4' x 10'	1
	US Shield	eld Black/White		6' x 15'	1

Cardinal Directions	Description	Color	ltem Number	Size (W x L)	Qty per Pack
WORTH	Cardinal Direction - North	Blue/White	9100391	9' x 10'	1
WRTH	Cardinal Direction - North	Black/White	9100514	9 X 10	1
SOUTH	− Cardinal Direction - South −	Blue/White	9100392	9' x 10'	1
SOUTH		Black/White	9100515		1
EAST	– Cardinal Direction - East –	Blue/White	9100390	8' x 10'	1
EAST		Black/White	9100516		1
WEST	Cardinal Direction - West	Blue/White	9100517	8' x 10'	1
WEST		Black/White	9100518	0 X IU	1

Contrast Arrows	Description		Item Number	Size (L x W)	Qty per Pack
Figure 15	Straight Contrast Arrow Standard 4" Black Border		9100249	9'10" x 3'3"	2
5: 46	Turn Contrast Arrow Standard	Left	9100434	8'2" x 6'3"	2
Figure 16	4" Black Border	Right	9100435	8'2" x 6'3"	2
Figure 17	Straight Arrow Elongated 4" Black Border		9100611	12' x 1'8"	2
Figure 18	Turn Arrow Elongated	Left	9100612	12' x 3'	2
	4" Black Border	Right	9100613	12' x 3'	2
	Λ Δ	<u> </u>	Λ	()	




Figure 18

Figure 17

Block Contrast Panels	Description	Color	Item Number	Size (W x L)	Qty per Pack
ONLY	ONLY	White/Black	9001296	8' x 9'	1
AHEAD	AHEAD	White/Black	9001297	10' x 9'	1
STOP	STOP	White/Black	9000794	8' x 9'	1
4	Arrow Turn - Left	White/Black	9001298	8' x 9'	1
A	Arrow Turn - Right	White/Black	9001299	8' x 9'	1

Figure 16

Figure 15

Bike Lane Symbols 90 MIL	Description	Item Number	Size (L x W)	Qty per Pack
ÓÃO	Bicycle Symbol ⁺	9100010	6' x 3'4"	5
Ò		9100011	6'6" x 3'4"	5
		9100052	6′ x 3′4″	5
	Bicycle Rider ⁺	9100012 4' x 2'	5	
		9100013	8' x 4'	2
		9100014	9'3" x 3'3"	2
	Shared Lane Symbol ⁺	9100015	9'4" x 3'4"	2
		9100016	4' x 2' 5 8' x 4' 2 9'3" x 3'3" 2 9'4" x 3'4" 2 6' x 2' 5 6' x 2' 5 4'7" x 3'6" 2	2
	Bike Lane Straight Arrow	9100824	6' x 2'	5
		9100053	6' x 2'4"	2
P	Bike Turn Arrow - Right	9100054	4'7" x 3'6"	2
4	Bike Turn Arrow - Left	9100346	4'7" x 3'6"	2
0%	Bike Loop Detector ⁺	9100098	3'7" x 12"	5

⁺Right facing markings available on request.

Bike Lane Symbol Panels 90 MIL	Description	Color	ltem Number	Size (W x L)	Qty per Pack
0%	Bicycle Rider+	BLG/White	9100689	4' x 7'	1
070	Bike Loop Detector ⁺	BLG/White	9100058	4' x 4'	1
de de la companya de	Bike Symbol ⁺	BLG/White	9100055	4' x 7'	1
1	Bike Straight Arrow	BLG/White	9100519	4' x 7'	1
₩ Ø	Shared Lane Symbol ⁺	BLG/White	9100051	4' x 10'	1
↑ • • • • • • • • • • • • • • • • • • •	Bike Panel Kit ⁺	BLG/White	9100050	4' x 20'	1
6	Bike Turn Left Arrow	BLG/White	9100621	4' x 7'	1
	Bike Turn Right Arrow	BLG/White	9100622	4' x 7'	1
4	Bike Combi Turn Arrow Left	BLG/White	9100585	4' x 7'	1
→	Bike Combi Turn Arrow Right	BLG/White	9100586	4' x 7'	1

⁺Right facing markings available on request.

Bike Lane Symbol Panels 90 MIL	Description	Color	Item Number	Size (W x L)	Qty per Pack
BKE	ВІКЕ	BLG/White	9100520	4' x 7'	1
LANE	LANE	BLG/White	9100521	4' x 7'	1
ONLY	ONLY	BLG/White	9100251	4' x 7'	1
STOP	STOP	BLG/White	9100490	4' x 7'	1
XING	XING	BLG/White	9100491	4' x 7'	1

Electric Vehicle 90 MIL	Description	Color	Item Number	Size (L × W)	Qty per Pack
E	Electric Vehicle Pump w/Plug	White/ blue	9100822	48" x 48"	1
	Electric Vehicle Pump w/Nozzle FHWA	White/ blue	9100823	48" x 48"	1





Accessories and Equipment	Description	Item Number	Size	Qty per Pack
Q2 Pri Seed for	QL2 Pro Heat gun	505692	-	1
	ChipFill®	829841	26 lbs	26 lbs
	Geveko Sealer	201492 1 gallon	1 gallon	1 gallon
	Geveko Sealer	201741	5 gallons	5 gallons
CANADO ++ ++	Viaxi	303641	380 ml	380 ml



QL2 Pro Heat Gun 553,000 BTU head



QL2 Pro Heat Gun 319,000 BTU head





OPTATRAC® Optimizing Safety

OPTAMARK® High Skid can be utilized for a wide variety of colorized lane treatment areas, including bus and bike lanes, where hard wearing .surfaces with optimum color retention and skid resistance are needed

OPTATRAC, a unique feature of OPTAMARK® preformed thermoplastic pavement markings, is engineered to ensure that skid resistance and .retroreflectivity are optimized

Geveko Markings Creating Cost Efficient, Innovative Traffic Safety Solutions for You



RibLine® Rumble Bars



OPTDSIGN Preformed Thermoplastic



OPTDCROSS IP Decorative Crosswalk



Preformed Thermoplastic



Preformed Thermoplastic



Decorative Crosswalks



Rumble Bars



Methyl Methacrylate (MMA)



Epoxy Modified Water Based Acrylic



Professional Heat Gun



Road Repair System

Terms and Conditions of Sale

Price:

Prices are subject to change without notice. Prices charged will be those stated when the order is accepted.

Acceptance:

The Seller accepts Buyer's written product order upon Buyer's assent to the terms and conditions herein which constitutes the only binding contract terms and conditions between the parties in the absence of a written agreement accepted by an approved representative of Geveko Markings Inc.

Financial Responsibility:

Sales shall at all times be subject to the approval of Seller's credit department and at anytime Seller may require evidence payment or satisfactory security or guaranty that invoices will be paid promptly when due. Terms on established credit accounts are net on presentation. If the Buyer fails to pay within terms and by the agreed date, Geveko Markings Inc. shall be entitled to interest from the day on which payment became due at the rate of minimum 1.5 % interest per month payable or maximum allowed by law.

Retention Of Title:

The goods shall remain the property of Geveko Markings Inc. until paid for in full to the extent that such retention of title is valid under the applicable law.

Packaging:

Prices quoted by Geveko Markings Inc. in offers and agreements shall, unless otherwise specified, be deemed to include our standard packaging.

Delivery And Freight Policy:

Seller's products are sold F.O.B. shipping point and Seller's placement of such goods in the possession of a trucking company, railroad company or common carrier shall constitute delivery to the Buyer and all risk of loss in transit shall be the responsibility of the Buyer. Shipping dates are approximate and based on prompt receipt of all necessary information. If no trade term is specifically agreed our delivery shall be considered to be shipped F.O.B. the Geveko Markings Inc. warehouse in Gainesville, GA, unless otherwise stipulated.

Shipment Claims:

All shipments must be inspected prior to acceptance and claims for loss or damage filed by the consignee with the carrier within five (5) days of delivery. Any claims of shortage must be based on complete inspection of the shipment and accompanying papers and reported to Seller in writing within five (5) days of receipt.

Returns:

Product cannot be returned under any circumstance or for credit without the Seller's prior approval.

A restocking fee of 15% will be charged against any credit issued. All transportation costs will be paid for by the Buyer. Products can only be returned in mint condition and in original unbroken packaging.

Taxes:

Buyer is liable for the full amount of all federal, state and local taxes applicable to or as a result of this transaction. The prices in this Price List do not include any federal, state or local taxes. The Buyer agrees to pay the amount of all such taxes at any time required by Seller, as if originally added to the price. If Seller pays such taxes Buyer shall reimburse Seller therefore.

Warranty:

Geveko Markings Inc. warrants it products to the original Buyer against material defects for up to one year from the date of delivery of the products. The sole obligation of the Seller under this warranty is, at its discretion, to replace the material if the Seller determines that at the time of delivery the defect was present in the product. Altered products or those subjected to misuse or negligence are not covered under this warranty. It is understood that the Seller's and Manufacturer's limit of liability for all damages, including but not limited to, direct, incidental or consequential injury, loss or damage arising out of the use of the product or if the product cannot be used, shall be to provide an equal quantity of replacement material or to repair the defective product. It is the Buyer's responsibility to determine the suitability of the product for the intended use. The Buyer assumes all risk and liability in that regard.

