



**Preformed
Thermoplastic**



90 MIL Catalog 2020

Marking the future with you



Free training

Product training is available free of charge for all OPTAMARK® end users.

No Pre-heating required

OPTAMARK® does not require the pavement to be preheated to a specific temperature prior to application. With no specific road or air temperature requirements, the pavement marking season can be extended.

Interconnected

Interconnected material can be supplied.

Special request?

OPTAMARK® is available in a wide range of sizes and colors. Call **770-847-9410** for pricing and information on items not listed.

www.geveko-markings.us
sales@gevekomarkings.us

Lines	Description	Item Number	Size (W x L)	Linear Feet per Pack	Square Feet per Pack
	White Lines	9000072	4" x 3'	144 LF	48 SF
		9000173	6" x 3'	96 LF	48 SF
		9000213	8" x 3'	72 LF	48 SF
		9000053	12" x 3'	48 LF	48 SF
		9000240	16" x 3'	24 LF	32 SF
		9000174	18" x 3'	24 LF	36 SF
		9000045	24" x 3'	24 LF	48 SF
	Yellow Lines	9000199	4" x 3'	144 LF	48 SF
		9000244	6" x 3'	96 LF	48 SF
		9000081	8" x 3'	72 LF	48 SF
		9000245	12" x 3'	48 LF	48 SF
		9000247	18" x 3'	24 LF	36 SF
		9000172	24" x 3'	24 LF	48 SF

Arrows	Description		Item Number	Size (L x W)	Qty per Pack
Figure 1	Straight Arrow Standard		9000070	9'10" x 3'3"	2
Figure 2	Straight Arrow Elongated		9000133	12' x 1'8"	2
Figure 3	Mini Turn Arrow	Left	9000723	5'6" x 4'2"	2
		Right	9000722	5'6" x 4'2"	2
Figure 4	Turn Arrow Standard	Left	9000042	8'2" x 6'3"	2
		Right	9000043	8'2" x 6'3"	2
		Rev	9000076	8'2" x 6'3"	2
Figure 5	Turn Arrow Elongated	Left	9000131	12' x 3'	2
		Right	9000132	12' x 3'	2
		Rev	9000130	12' x 3'	2
Figure 6	Turn Arrow	Rev	9000137	24' x 6'	1
Figure 7	Combi Left/Right Arrow		9001300	8' x 10'	1




Figure 1 Figure 2 Figure 3 Figure 4



Figure 5 Figure 6 Figure 7

Arrows	Description		Item Number	Size (L x W)	Qty per Pack
Figure 8	Combi Arrow Standard	Left	9000075	13'1" x 7'4"	1
		Right	9000069	13'1" x 7'4"	1
		Rev	9000164	13'1" x 7'4"	1
Figure 9	Combi Left/Straight/Right Arrow		9000267	13'2" x 11'6"	1
Figure 10	Combi Arrow Standard Elongated	Left	9000135	20' x 3'7"	1
		Right	9000136	20' x 3'7"	1
		Rev	9000134	20' x 3'7"	1
Figure 11	U-Turn Arrow - Left	Left	9000138	10'4" x 7'9"	1
Figure 12	Exit Ramp (Wrong Way) Arrow		9000139	24'	2
Figure 13	Lane Reduction Arrow (FHWA)	Rev	9000177	18' x 5'8"	1
Figure 14	Roundabout Fish-Hook Arrow (FHWA)		9000263	20' x 8'7"	1




Figure 8

Figure 9

Figure 10

Figure 11







Figure 12

Figure 13




Figure 14






Legends	Description	Item Number	Letter Height	Qty per Pack
R	R (FHWA)	9000111	6'	2
MPH	MPH (FHWA)	9000109	8'	1
PED	PED (FHWA)	9000110	8'	1
BUS	BUS (FHWA)	9000251	8'	1
STOP	STOP (FHWA)	9000126	8'	1
LANE	LANE (FHWA)	9000248	8'	1
KEEP	KEEP (FHWA)	9000249	8'	1
CLEAR	CLEAR (FHWA)	9000175	8'	1
XING	XING (FHWA)	9000116	8'	1
ONLY	ONLY (FHWA)	9000071	8'	1
EXIT	EXIT (FHWA)	9000106	8'	1
LEFT	LEFT (FHWA)	9000107	8'	1
SLOW	SLOW (FHWA)	9000113	8'	1
WEST	WEST (FHWA)	9000115	8'	1
SOUTH	SOUTH (FHWA)	9000114	8'	1
RIGHT	RIGHT (FHWA)	9000253	8'	1
MERGE	MERGE (FHWA)	9000108	8'	1
AHEAD	AHEAD (FHWA)	9000252	8'	1
YIELD	YIELD (FHWA)	9000117	8'	1
SIGNAL	SIGNAL (FHWA)	9000112	8'	1

Legends	Description	Item Number	Letter Height	Qty per Pack
	SCHOOL (FHWA)	9000165	8'	1
		9000166	10'	1
	Railroad FHWA RXR	9000178	20' x 8' (L x W)	1
	Railroad FHWA RXR - Narrow	9000118	20' x 6'6" (L x W)	1
	HOV Designated Lane Symbol	9000254	13' x 3'3" (L x W)	5
NO PARKING	NO PARKING (90 mil Series B)	9000066	12"	1
FIRE LANE	FIRE LANE (90 mil Series B)	9001272	12"	1









Letters and numbers	Description	Item Number	Height	Qty per Pack	
ABC ...123 ...	Individual Letter or Number (Series B)	Unique item number for each design	6"	1	
			12"	1	
			24"	1	
	Individual Letter or Number FHWA		4'	1	
	Complies with MUTCD		8'	1	
			10'	1	











Yield Markings	Description	Item Number	Size (W x L)	Qty per Pack
	Yield Line (Shark's Teeth) (FHWA)	9000087	12" x 18"	25
		9000088	16" x 24"	10
		9000089	24" x 36"	10
	Yield Ahead Triangle (FHWA)	9000090	6' x 13'	1
		9000091	6' x 20'	1
	Speed Hump Marking (FHWA)	9000092	6' x 6'	2





Handicap Markings*	Description	Color	Item Number	Size	Qty per Pack
	Blue Lines	Blue	9000079	4" x 3' (W x L)	144 LF / 48 SF
	Handicap Symbol FHWA	White	9100017	28"	5
	Handicap Symbol White	White	9100038	39"	5
	Handicap Symbol FHWA	Blue	9100018	28"	5
	Handicap Kit (CALTRANS)	White/ Blue	9100672	36" x 36"	2
	Handicap Kit FHWA	White/ Blue	9100019	40" x 40"	2
	Handicap Kit (CALTRANS)	White/ Blue	9100020	45" x 45"	2
	Handicap Kit	White/ Blue	9100021	48" x 48"	2
	Handicap Kit, White Border FHWA	White/ Blue	9100137	40" x 40"	2

*OPTATRAC® engineered to optimize traction and retroreflectivity

Bike Lane Symbols*	Description	Item Number	Size (L x W)	Qty per Pack
	Bicycle Symbol ⁺	9100010	6' x 3'4"	5
	Bicycle Rider ⁺	9100011	6'6" x 3'4"	5
		9100052	6' x 3'4"	5
		9100012	4' x 2'	5
		9100013	8' x 4'	2
	Shared Lane Symbol ⁺	9100014	9'3" x 3'3"	2
	Shared Lane Symbol ⁺	9100015	9'4" x 3'4"	2
	Bike Lane Straight Arrow	9100016	6' x 2'	2
		9100824	6' x 2'	5
		9100053	6' x 2'4"	2
	Bike Turn Arrow - Left	9100346	4'7" x 3'6"	2
	Bike Turn Arrow - Right	9100054	4'7" x 3'6"	2
	Bike Loop Detector ⁺	9100098	3'7" x 12" (L x W)	5












*OPTATRAC® engineered to optimize traction and retroreflectivity
⁺Right facing markings available on request.

Bike Lane Symbols*	Description	Item Number	Height	Qty per Pack
	BLVD	9100319	4'	2
	BIKE	9100140	4'	2
	LANE	9100139	4'	2
	ONLY	9100486	4'	2
	STOP	9100810	4'	2
	XING	9100475	4'	2
	PED	9100216	4'	2
	Pedestrian Symbol ⁺	9100811	8'	2

Bike Lane Green Panels*	Description	Color	Item Number	Size (W x L)	Qty per Pack
	Bicycle Rider ⁺	BLG/White	9100689	4' x 7'	1
	Bike Loop Detector ⁺	BLG/White	9100058	4' x 4'	1
	Bike Symbol ⁺	BLG/White	9100055	4' x 7'	1
	Bike Straight Arrow	BLG/White	9100519	4' x 7'	1



*OPTATRAC® engineered to optimize traction and retroreflectivity

⁺Right facing markings available on request.





Bike Lane Green Panels*		Description	Color	Item Number	Size (W x L)	Qty per Pack
		Shared Lane Symbol+	BLG/White	9100051	4' x 10'	1
		Bike Panel Kit+	BLG/White	9100050	4' x 20'	1
		Bike Turn Left Arrow	BLG/White	9100621	4' x 7'	1
		Bike Turn Right Arrow	BLG/White	9100622	4' x 7'	1
		Bike Combi Turn Arrow Left	BLG/White	9100585	4' x 7'	1
		Bike Combi Turn Arrow Right	BLG/White	9100586	4' x 7'	1
		BIKE	BLG/White	9100520	4' x 7'	1
		LANE	BLG/White	9100521	4' x 7'	1
		ONLY	BLG/White	9100251	4' x 7'	1
		STOP	BLG/White	9100490	4' x 7'	1
		XING	BLG/White	9100491	4' x 7'	1



*OPTATRAC® engineered to optimize traction and retroreflectivity

+Right facing markings available on request.



Bike Lane Green Linear High Skid	Item Number	Size (W x L)	Linear Feet per Pack	Square Feet per Pack
	9000154	4"x3'	90 LF	30 SF
	9000155	6" x 3'	60 LF	30 SF
	9000156	12" x 3'	30 LF	30 SF
	9000054	24" x 3'	15 LF	30 SF

In-Lane RibLine Kit	Description	Color	Item Number	Size	Linear Feet Per Pack	Qty per Pack
	Single RibLine Kit (250 mil bar)	White	9000948	4" x 3' Base 2" x 3' Bar	36 LF	12 Bases / 12 Bars
	Double RibLine Kit (250 mil bar)	White	9000949	8" x 3' Base 2" x 3' Bar	18 LF	6 Bases / 12 Bars
	Single RibLine Kit (250 mil bar)	Black	9000264	4" x 3' Base 2" x 3' Bar	36 LF	12 Bases / 12 Bars
	Double RibLine Kit (250 mil bar)	Black	9000709	8" x 3' Base 2" x 3' Bar	18 LF	6 Bases / 12 Bars
	Single RibLine Kit (250 mil bar)	Black/White	9000369	4" x 3' Base 2" x 3' Bar	36 LF	12 Blk Bases / 12 Wht Bars
	Double RibLine Kit (250 mil Bar)	Black/White	9000287	8"x3' Base 2"x3' Bar	18 LF	6 Blk Bases / 12 Wht Bars






Center & Edge RibLine Bars/Bases	Description	Color	Item Number	Size	Qty per Pack
	RibLine Bar (250 mil)	White	9001165	2" x 11"	50
	RibLine Bar (250 mil)	Black	9000307	2" x 11"	50
	RibLine Base (125 mil)	White	9001166	4" x 12"	50
	RibLine Base (125 mil)	Black	9000266	4" x 12"	50






Electric Vehicle*	Description	Color	Item Number	Size (L x W)	Qty per Pack
	Electric Vehicle Pump w/Plug	White/Blue	9100822	48" x 48"	1
	Electric Vehicle Pump w/Nozzle FHWA	White/Blue	9100823	48" x 48"	1

*OPTATRAC® engineered to optimize traction and retroreflectivity

Storm Drain Markings	Description	Item Number	Size (W x L)	Qty per Pack
	NO DUMPING DRAINS TO . . (River, Creek, Bay, Ocean, Stream etc.)	Unique item number for each design	29" x 5"	15
			12" x 12"	15



Adhesives	Description	Color	Item Number	Size	Qty per Pack
	OPTABOND ST	Grey	9000055	8" x 8"	80
	OPTABOND	Black	9000056	5" x 5"	140
	OPTABOND	White	9000150	5" x 5"	140
	OPTABOND	Yellow	9000151	5" x 5"	140
	OPTABOND	Blue	9000152	5" x 5"	140

Accessories and Equipment	Description	Color	Item Number	Size	Qty per Pack
	QL2 Pro Heat gun		505692	-	1
	OPTAHEAT PT 150		505723	3' x 3'	1
	OPTAHEAT PT 200		505724	4' x 3' expands to 18" x 8'	1
	ChipFill®	Black	9200018	26 lbs	26 lbs
	Geveko Sealer		201492	1 gallon	1 gallon
			201741	5 gallons	5 gallons
	Viaxi		303641	380 ml	380 ml



OPTATRAC® Optimizing Safety

OPTAMARK® High Skid can be utilized for a wide variety of colored lane treatment areas, including bus and bike lanes, where hard wearing surfaces with optimum color retention and skid resistance are needed.

OPTATRAC®, a unique feature of OPTAMARK® preformed thermoplastic pavement markings, is engineered to ensure that skid resistance and retroreflectivity are optimized.

Geveko Markings Creating Cost Efficient, Innovative Traffic Safety Solutions for You



RibLine® Rumble Bars



OPTDSIGN Preformed Thermoplastic




OPTDCROSS IP Decorative Crosswalk



Preformed Thermoplastic



Preformed Thermoplastic



Decorative Crosswalks



Horizontal Signs




Methyl Methacrylate (MMA)



Epoxy Modified Water Based Acrylic



Rumble Bars



Road Repair System



Professional Heat Gun



IR Heater

Terms and Conditions of Sale

Price:

Prices are subject to change without notice. Prices charged will be those stated when the order is accepted.

Acceptance:

The Seller accepts Buyer's written product order upon Buyer's assent to the terms and conditions herein which constitutes the only binding contract terms and conditions between the parties in the absence of a written agreement accepted by an approved representative of Geveko Markings Inc.

Financial Responsibility:

Sales shall at all times be subject to the approval of Seller's credit department and at anytime Seller may require evidence payment or satisfactory security or guaranty that invoices will be paid promptly when due. Terms on established credit accounts are net on presentation. If the Buyer fails to pay within terms and by the agreed date, Geveko Markings Inc. shall be entitled to interest from the day on which payment became due at the rate of minimum 1.5 % interest per month payable or maximum allowed by law.

Retention Of Title:

The goods shall remain the property of Geveko Markings Inc. until paid for in full to the extent that such retention of title is valid under the applicable law.

Packaging:

Prices quoted by Geveko Markings Inc. in offers and agreements shall, unless otherwise specified, be deemed to include our standard packaging.

Delivery And Freight Policy:

Seller's products are sold F.O.B. shipping point and Seller's placement of such goods in the possession of a trucking company, railroad company or common carrier shall constitute delivery to the Buyer and all risk of loss in transit shall be the responsibility of the Buyer. Shipping dates are approximate and based on prompt receipt of all necessary information. If no trade term is specifically agreed our delivery shall be considered to be shipped F.O.B. the Geveko Markings Inc. warehouse in Gainesville, GA, unless otherwise stipulated.

Shipment Claims:

All shipments must be inspected prior to acceptance and claims for loss or damage filed by the consignee with the carrier within five (5) days of delivery. Any claims of shortage must be based on complete inspection of the shipment and accompanying papers and reported to Seller in writing within five (5) days of receipt.

Returns:

Product cannot be returned under any circumstance or for credit without the Seller's prior approval.

A restocking fee of 15% will be charged against any credit issued. All transportation costs will be paid for by the Buyer. Products can only be returned in mint condition and in original unbroken packaging.

Taxes:

Buyer is liable for the full amount of all federal, state and local taxes applicable to or as a result of this transaction. The prices in this Price List do not include any federal, state or local taxes. The Buyer agrees to pay the amount of all such taxes at any time required by Seller, as if originally added to the price. If Seller pays such taxes Buyer shall reimburse Seller therefore.

Warranty:

Geveko Markings Inc. warrants its products to the original Buyer against material defects for up to one year from the date of delivery of the products. The sole obligation of the Seller under this warranty is, at its discretion, to replace the material if the Seller determines that at the time of delivery the defect was present in the product. Altered products or those subjected to misuse or negligence are not covered under this warranty. It is understood that the Seller's and Manufacturer's limit of liability for all damages, including but not limited to, direct, incidental or consequential injury, loss or damage arising out of the use of the product or if the product cannot be used, shall be to provide an equal quantity of replacement material or to repair the defective product. It is the Buyer's responsibility to determine the suitability of the product for the intended use. The Buyer assumes all risk and liability in that regard.

